

PORTABLE LIGHTING PRODUCTS

Stinger Series Rechargeables

Stinger®

Battery	Nickel-cadmium 3.6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.	
Bulb	3.7 Volt, 6 watt, xenon gas filled bi-pin; spare bulb in tail cap.	
Material	Machined aluminum housing anodized against corrosion inside and out; unbreakable polycarbonate lens.	
Color	Black	
Weight (with battery)	10 ounces	
Length	188mm	
Run Time	1 hour of continuous use between chargers.	*Maximum Peak Beam Candlepower
Candlepower*	Up to 15,000	
Special Features	240V AC, or 12V DC 10 hour charger or 2.5 hour "smart" fast charger available.	



Stinger Order Codes:

75214 with two chargers, 240VAC and 12VDC for wall and vehicle mounting.

75201 with a 240VAC charger.

75002 with a 12VDC charger and cigarette lighter plug for vehicle use.

Stinger XT®

Battery	Nickel-cadmium 3.6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.	
Bulb	3.7 Volt, 6 watt, xenon gas filled bi-pin.	
Material	Virtually indestructible machined aluminum housing with non-slip rub	
Color	Black	
Weight (with battery)	315gm	
Length	196mm	
Run Time	1 hour of continuous use between chargers.	*Maximum Peak Beam Candlepower
Candlepower*	Up to 15,000	
Special Features	Same charging features as Stinger®. Tailcap switch lets you choose between momentary or constant operation.	



Stinger XT Order Codes:

75213 with two chargers, 240VAC and 12VDC for wall and vehicle mounting.

75211 with a 240VAC charger

75012 with a 12VDC charger and cigarette lighter plug for vehicle use.

PolyStinger®

Battery	Nickel-cadmium 3.6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.	
Bulb	3.7 Volt, 6 watt, xenon gas filled bi-pin; spare bulb in tail cap.	
Material	Super tough, non-conductive nylon polymer with non-slip grip; unbreakable polycarbonate lens.	
Color	Black, Yellow, Olive Drab	
Weight (with battery)	247gm	
Length	188mm	
Run Time	1 hour of continuous use between chargers.	
Candlepower*	Up to 15,000	*Maximum Peak Beam Candlepower
Special Features	Versions with fast chargers (2.5 hours) and holders for spare batteries are also available.	



Polystinger Order Codes:

76714 with two chargers, 240VAC and 12VDC for wall and vehicle mounting.

76701 with a 240VAC Charger.

76502 with a 12VDC charger and cigarette lighter plug for vehicle use.

Montville Creative Products

51 Akala St Flaxton Qld 4560. PO Box 224 Montville 4560 ABN: 14 952 105 278

Email: Info@mcproducts.com.au

Web: www.mcproducts.com.au

Phone: (+617) 5478 6117

Fax: (+617) 3275 3238

Mob: 0411 639 910

PORTABLE LIGHTING PRODUCTS

Stinger Series Rechargeables

UltraStinger®

Battery	Nickel-cadmium 6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.
Bulb	6.3 Volt, 10 watt, xenon-halogen gas filled bi-pin.
Material	Machined aluminum housing anodized against corrosion inside and out; unbreakable polycarbonate lens. Color Black
Weight (with battery)	1.55kg
Length	298mm
Run Time	1 hour of continuous use between chargers.
Candlepower*	Up to 75,000
Special Features	240V AC, or 12V DC 10 hour charger.



*Maximum Peak Beam Candlepower

UltraStinger Order Codes:

78214 with two chargers, 240VAC and 12VDC for wall and vehicle mounting.

78201 with a 240VAC Charger.

78002 with a 12VDC charger and cigarette lighter plug for vehicle use.

Stinger® HP™

The Stinger® has long been known as the most powerful rechargeable flashlight there is for its size. Now, it's more powerful than ever.

Introducing Stinger® HP™.

The HP stands for High Performance, and Stinger HP delivers it with a powerful 40,000 candlepower light almost three times the candlepower of the original Stinger. Continuous run time of one hour.



Weighs just 346gm
and only 210mm long.
Machined aluminum case.
One hour run time

Battery	Nickel-cadmium 3.6 Volt, 1.8 amp hour, sub-C; rechargeable up to 1,000 times.
Bulb	3.7 Volt, 6 watt, xenon gas filled bi-pin.
Material	Virtually indestructible machined aluminum housing anodized against corrosion inside and out, unbreakable polycarbonate lens.
Color	Black
Weight (with battery)	346gm
Length	210mm
Run Time	1 hour of continuous use between chargers.
Candlepower*	Up to 40,000
Special Features	Versions with fast chargers (2.5 hours) and holders for spare batteries are also available.

*Maximum Peak Beam Candlepower

Stinger HP Order Codes:

75541 with two chargers, 240VAC and 12VDC for wall and vehicle mounting.

75540 with a 240VAC Charger.

75502 with a 12VDC charger and cigarette lighter plug for vehicle use.

Montville Creative Products

51 Akala St Flaxton Qld 4560. PO Box 224 Montville 4560 ABN: 14 952 105 278

Email: Info@mcproducts.com.au

Web: www.mcproducts.com.au

Phone: (+617) 5478 6117

Fax: (+617) 3275 3238

Mob: 0411 639 910

PORTABLE LIGHTING PRODUCTS

Stinger Series Rechargeables

Parts and Accessories for Stinger® Flashlights

- 10-hour charger holder
- 2.5 hour "smart" Fast Charger holder
- 240V AC and 12V DC charge cords
- 5 unit bank charger
- 5 unit bank "smart" Fast Charger
- Bulbs
- Battery Sticks
- Infrared Lens
- Safety Wands
- Ring Holder
- Red Lens
- Holsters
- UltraHead Upgrade Kit



ULTRASTINGER® FAST CHARGER

No time to waste? The Fast Charger lets you charge your UltraStinger in just 2.5 hours, one quarter of the time required for standard charging. The existing Stinger Fast Charger will also work with the new Stinger HP and Stinger XT HP

STINGER® PIGGYBACK® CHARGER

Double your battery power! Now you can charge your Stinger flashlight while simultaneously charging its spare battery. The Stinger PiggyBack Charger works with Stinger, Stinger HP, Stinger XT Stinger XT HP, as well as PolyStinger. Available in Steady Charge or Fast Charge.

ULTRAHEAD UPGRADE KIT

This converts your Stinger and Stinger XT flashlights into HP High Performance Stingers increasing their candlepower from 15,000 to 40,000.



Montville Creative Products

51 Akala St Flaxton Qld 4560. PO Box 224 Montville 4560 ABN: 14 952 105 278

Email: Info@mcproducts.com.au

Web: www.mcproducts.com.au

Phone: (+617) 5478 6117

Fax: (+617) 3275 3238

Mob: 0411 639 910